Impact of CKD-aP

- Pruritus/itch
- Sleep
- Quality of life
- Time in treatment
- Depression
- Anxiety

Ask patients proactively about the itch

Itch Severity and Quality of Life Assessment Tools

Worst Itch Numerical Rating Scale (WI-NRS)

Please rate the itching severity due to your psoriasis by circling the number that best describes your worst level of itching in the past 24 hours.

0 1 2 3 4 5 6 7 8 9 10	0	1	2	3	4	5	6	7	8	9	10
------------------------	---	---	---	---	---	---	---	---	---	---	----

0 = No itching

10 = Worst itch imaginable

Sidbury R, et al. J Am Acad Dermatol. 2014;71(2):327-349. Topf J, et al. Kidney Med. 2022;4(8):100512. Lopes MB, et al. Kidney Med. 2022;4(6):100476.

Worst Itch Numerical Rating Scale (WI-NRS)

Please rate the itching severity due to your psoriasis by circling the number that best describes your worst level of itching in the past 24 hours.

 0
 1
 2
 3
 4
 5
 6
 7
 8
 9
 10

 0 = No itching
 10 = Worst itch imaginable


- Very severe itching
- Before, during, and after dialysis
- An is mines
- Gai p tir

Kappa-Opioid Receptor Agonist Therapy in CKD-aP

Difelikefalin

- KALM-1 and KALM-2 trials showed a clinically meaningful improvement in itch intensity and itch-related QoL in patients with CKD-aP undergoing hemodialysis treated with difelikefalin
 - KALM-1 and KALM-2 pooled analysis demonstrated significantly greater achievement of ≥3-point WI-NRS reduction with difelikefalin (51.1%) versus placebo (35.2%; P < 0.001) at week 12


Reduction in WI-NRS score according to change perceived by patients



Topf J, et al. Kidney Med. 2022;4(8):100512. Vernon M, et al. J Am Acad Dermatol. 2021;84(4):1132-1134. Vernon MK, et al. J Patient Rep Outcomes. 2021;5(1):134.

COMPLETE SYMPTOM IMPROVEMENT ACHIEVED WITH DIFELIKEFALIN

Improvements in 5-D Itch Sleep Disability Question Score in Patients With vs Without a Clinically Meaningful Reduction in WI-NRS Score



Improvement in WI-NRS Score

*Improvements in mean 5-D itch sleep disability question score for patients with ≥3-point WI-NRS score reduction vs <3-point reduction. WI-NRS, worse itch intensity numerical rating score.

Ahdoot R, et al. Kidney Int Rep. 2022;7(2):S258.

Worst Itch Numerical Rating Scale (WI-NRS)

Please rate the itching severity due to your psoriasis by circling the number that best describes your worst level of itching in the past 24 hours.

 0
 1
 2
 3
 4
 5
 6
 7
 8
 9
 10

 0 = No itching
 10

 10 = Worst itch imaginable

- Very severe itching
- Initiated treatment with difelikefalin
- >3-point improvement

9/10

KOR Agonist Therapy

- Consistently effective in patients with CKD-aP
- Patient adherence benefits
 - Convenience of administration
 - Consistent dosing
 - Reduced patient burden

Improved Outcomes

Shared Decision-Making in KOR Agonist Therapy





Take-Home Message

- Importance of a comprehensive, patient-centric approach
- Early diagnosis
- Patient education
- Treat patients using new therapeutic interventions

Improve Patients' Quality of Life



Take-Home Message

- Screen patients proactively for itch
- Treat patients using new therapeutic interventions

Improve Patients' Quality of Life

